

References

- Betts, J. G., Young, K. A., Wise, J. A., Johnson, E., Poe, B., Kruse, D. H., Korol, O., Johnson, J. E., Womble, M., & DeSaix, P. (2022). *Anatomy and physiology 2e*. OpenStax.
<https://openstax.org/books/anatomy-and-physiology-2e/pages/1-introduction>
- Caterina, M. J., Schumacher, M. A., Tominaga, M., Rosen, T. A., Levine, J. D., & Julius, D. (1997). The capsaicin receptor: A heat-activated ion channel in the pain pathway. *Nature*, 389(6653), 816–824.
<https://doi.org/10.1038/39807>
- Che, T., & Roth, B. L. (2023). Molecular basis of opioid receptor signaling. *Cell*, 186(24), 5203–5219.
<https://doi.org/10.1016/j.cell.2023.10.029>
- Chesler, A. T., Szczot, M., Bharucha-Goebel, D., Čeko, M., Donkervoort, S., Laubacher, C., Hayes, L. H., Alter, K., Zampieri, C., Stanley, C., Innes, A. M., Mah, J. K., Grosmann, C. M., Bradley, N., Nguyen, D., Foley, A. R., Le Pichon, C. E., & Bönnemann, C. G. (2016). The role of PIEZO2 in human mechanosensation. *The New England Journal of Medicine*, 375(14), 1355–1364.
<https://doi.org/10.1056/NEJMoa1602812>
- Dougherty, P. (2020, October 7). Chapter 2: Somatosensory systems (C. Tsuchitani, content contributor). In *Neuroscience online*. McGovern Medical School at UTHealth Houston.
<https://nba.uth.tmc.edu/neuroscience/m/s2/chapter02.html>
- Dougherty, P. (2026, July 7). Chapter 4: Somatosensory pathways (C. Tsuchitani, content contributor). In *Neuroscience online*. McGovern Medical School at UTHealth Houston.
<https://nba.uth.tmc.edu/neuroscience/m/s2/chapter04.html>
- Dubin, A. E., & Patapoutian, A. (2010). Nociceptors: The sensors of the pain pathway. *Journal of Clinical Investigation*, 120(11), 3760–3772. <https://doi.org/10.1172/JCI42843>
- Hanyu-Deutmeyer, A. A., Cascella, M., & Varacallo, M. A. (2023, August 4). Phantom limb pain. In *StatPearls*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK448188/>
- Heinricher, M. M., Tavares, I., Leith, J. L., & Lumb, B. M. (2009). Descending control of nociception: Specificity, recruitment and plasticity. *Brain Research Reviews*, 60(1), 214–225.
<https://doi.org/10.1016/j.brainresrev.2008.12.009>
- International Association for the Study of Pain. (2020, July 16). IASP announces revised definition of pain.
<https://www.iasp-pain.org/publications/iasp-news/iasp-announces-revised-definition-of-pain/>

- Makin, T. R., Scholz, J., Filippini, N., Henderson Slater, D., Tracey, I., & Johansen-Berg, H. (2013). Phantom pain is associated with preserved structure and function in the former hand area. *Nature Communications*, 4, Article 1570. <https://doi.org/10.1038/ncomms2571>
- McKemy, D. D., Neuhausser, W. M., & Julius, D. (2002). Identification of a cold receptor reveals a general role for TRP channels in thermosensation. *Nature*, 416(6876), 52–58. <https://doi.org/10.1038/nature719>
- Melzack, R., & Wall, P. D. (1965). Pain mechanisms: A new theory. *Science*, 150(3699), 971–979. <https://doi.org/10.1126/science.150.3699.971>
- Mendell, L. M. (2014). Constructing and deconstructing the gate theory of pain. *Pain*, 155(2), 210–216. <https://doi.org/10.1016/j.pain.2013.12.010>
- Paricio-Montesinos, R., Schwaller, F., Udhayachandran, A., Rau, F., Walcher, J., Evangelista, R., Vriens, J., Voets, T., Poulet, J. F. A., & Lewin, G. R. (2020). The sensory coding of warm perception. *Neuron*, 106(5), 830–841.e3. <https://doi.org/10.1016/j.neuron.2020.02.035>
- Paré, M., Behets, C., & Cornu, O. (2003). Paucity of presumptive Ruffini corpuscles in the index finger pad of humans. *The Journal of Comparative Neurology*, 456(3), 260–266. <https://doi.org/10.1002/cne.10519>
- Vaso, A., Adahan, H.-M., Gjika, A., Zahaj, S., Zhurda, T., Vyshka, G., & Devor, M. (2014). Peripheral nervous system origin of phantom limb pain. *Pain*, 155(7), 1384–1391. <https://doi.org/10.1016/j.pain.2014.04.018>

Image credits

Hand on white textile

cottonbro studio

Pexels license

<https://www.pexels.com/photo/persons-hand-on-white-textile-4108804/>

<https://www.pexels.com/license/>

Modifications: Cropped in presentation: x 0, y 1450, width 3049, height 1715 from original 3049 × 4065. Original file retained unchanged.

Skin tactile receptors

BruceBlaus / Blausen.com staff (2014)

CC BY 3.0

https://commons.wikimedia.org/wiki/File:Blausen_0809_Skin_TactileReceptors.png

<https://creativecommons.org/licenses/by/3.0/>

Modifications: Cropped in presentation: x 0, y 320, width 2500, height 1730 from original 2500 × 2500. Top whitespace and bottom title band removed; all anatomical labels and leader lines retained. Website uses uncropped original.

Mint leaves

Ruby Sengar

Pexels license

<https://www.pexels.com/photo/close-up-of-mint-leaves-5498007/>

<https://www.pexels.com/license/>

Modifications: Presentation displays original without cropping. Website uses responsive framing (CSS object-fit: cover) at narrow aspect ratios; original file retained unchanged.

Conceptual diagrams

The pathway, transduction, synapse, axon, response, and contact-action schematics were created for this presentation. They are explanatory diagrams, not measured traces or anatomical photographs.